

Weapon Detection Using Deep Learning

¹A. Gowtham, ²P. Nikhitha, ³K. Sai Sreenivasa Theja

¹Professor, Department of C.S.E. (Cyber Security), Madanapalle Institute of Technology & Science, Madanapalle-517325, A.P, India

^{2,3}UG Scholar, Department of C.S.E (Cyber Security), Madanapalle Institute of Technology & Science, Madanapalle-517325, A.P, India

E-mail: [1gowthama@mits.ac.in](mailto:gowthama@mits.ac.in), [2nikhithap0230@gmail.com](mailto:nikhithap0230@gmail.com), [3sreenivasatheja@gmail.com](mailto:ssreenivasatheja@gmail.com)

Abstract - This paper centers on the discovery of weapons in pictures employing a profound learning demonstrate based on the YOLO (You Merely See Once) system. The essential objective is to prepare a custom weapon location show employing a dataset from the Roboflow stage and fine-tune it to distinguish different sorts of weapons in genuine time. The venture utilizes YOLOv5, a well established question location demonstrate known for its speed and exactness in distinguishing objects inside pictures. The workflow starts with downloading and planning a dataset, particularly the "Weapon Discovery" dataset, from Roboflow and setting it up for preparing. Utilizing the YOLOv5 system, the show is prepared on this dataset with a arrangement custom-made to the issue of weapon location. Once prepared, the demonstrate is assessed for execution utilizing approval information, and forecasts are made on modern pictures containing potential weapon objects. Bounding boxes are drawn around recognized weapons, with a certainty score showing the model's certainty almost each forecast. The comes about are visualized utilizing Python's Matplotlib library to show the pictures nearby their predicted bounding boxes and course names. The demonstrate gives a powerful instrument for computerized weapon location, valuable for security frameworks, reconnaissance, and other related applications. By leveraging both Roboflow and YOLOv5, this extend illustrates a viable approach to tackling genuine world issues including question discovery, exhibiting the potential of profound learning strategies for moving forward security and security.

Keywords: Weapon Detection, YOLO, Deep Learning, Roboflow, Object Detection, YOLOv5, Dataset, Model Training, Bounding Boxes, Confidence Score, Inference, Evaluation, Image Classification, Computer Vision, Security Systems, Transfer Learning, Image Processing, Python Programming, Model Optimization, Ultralytics, Data Visualization, Matplotlib, Object Recognition, Image Annotation, Surveillance, TensorFlow, Evaluation, Custom Dataset.

I. INTRODUCTION

Crime Wrongdoing against ladies has ended up a basic issue around the world, requiring exact and compelling expectation models to improve women's security. This inquire about proposes a machine learning-based approach that leverages the Arbitrary Woodland Calculation for wrongdoing expectation and the ARIMA demonstrate for wrongdoing determining [1]. The consider utilizes wrongdoing datasets from the National Wrongdoing Records Bureau (NCRB) of India to analyze, foresee, and estimate violations against ladies, eventually pointing to help law authorization in diminishing wrongdoing episodes. With the rise of computerized wrongdoing, conventional law requirement strategies battle to keep up with suspect recognizable proof from picture draws [2].

This ponder applies machine learning and computer vision, especially convolutional neural systems (CNNs), to form an robotized online criminal discovery framework. By utilizing OpenCV for picture handling, the framework points to progress law authorization endeavors by quickly distinguishing potential suspects based on draws. The expanding dependence on cloud computing has presented security concerns such as information astuteness, accessibility, and risk distinguishing proof. This paper investigates the integration of machine learning (ML) and profound learning (DL) to upgrade cloud security [3]. The ponder emphasizes robotized danger location through profound learning calculations, guaranteeing more secure cloud situations through proactive information assurance and inconsistency location. Criminal recognizable proof is significant for law requirement organizations. This inquire about proposes a profound learning show for recognizing hoodlums based on facial acknowledgment innovation [4].

The framework utilizes fake intelligence-powered picture handling to recognize people through facial highlights. The proposed show improves the precision of criminal discovery, lessening dependence on conventional recognizable proof strategies onlooker the developing advanced scene has expanded cybersecurity dangers, making hazard evaluation a

need for organizations [5]. This paper applies machine learning strategies, such as gathering learning (boosting and stowing), to anticipate endpoint vulnerabilities some time recently cybercriminals can abuse them. The think about points to supply a proactive cybersecurity procedure by analyzing organizational gadgets for potential security dangers. Social media stages are progressively being abused for criminal exercises such as information breaches, cyber extortion, and facilitated criminal operations. This paper presents an ontology-based multilayer perceptron (MLP) classifier to distinguish criminal expectation in social media posts [6]. The approach categorizes social media substance containing criminal slang, giving law requirement with an AI driven strategy for observing and avoiding cybercrime. The capacity to anticipate violations utilizing information driven strategies is an advancing field in counterfeit insights [7]. This paper audits wrongdoing forecast models utilizing machine learning and profound learning strategies, highlighting strategies such as relapse models, neural networks, and deep learning classifiers. The study provides insights into crime trends, helping law enforcement agencies deploy predictive policing strategies.

II. LITERATURE SURVEY


Several studies have investigated machine learning models for wrongdoing discovery. In "Wrongdoing Discovery Utilizing Machine Learning", Christina Beauty Nandigam et al [8]. displayed a strategy for identifying suspicious exercises utilizing profound learning and Convolutional Neural Systems (CNNs). The inquire about emphasized human movement examination in open ranges like shopping centers, banks, and streets to distinguish potential dangers and trigger cautions. In "Wrongdoing Examination and Expectation Utilizing Machine Learning", Shradha Rajput et al. utilized factual and prescient modeling procedures to recognize wrongdoing designs [9]. They utilized wrongdoing datasets to construct models able of estimating the probability of violations in particular areas, subsequently helping law authorization organizations in vital sending. The integration of profound learning in realtime wrongdoing location has been a developing range of investigate. In "Real-Time Wrongdoing Location Utilizing Profound Learning", Kowshik and Shoeb proposed a web application named "Spot Wrongdoing," which utilizes CNN and YOLO question discovery to analyze live CCTV film and alarm law authorization [10].

Their inquire about emphasized the adequacy of YOLOv5 over past models in identifying suspicious exercises. Credit card extortion location is an expansion of wrongdoing avoidance strategies. Vaanathi S. et al., in "Machine Learning-Based Approaches for Extortion Location in Credit Card Exchanges", investigated irregularity discovery strategies such

as Separation Timberland [11], Nearby Exception Calculate, and One-Class SVM for recognizing false exchanges. Their ponder given bits of knowledge into moving forward monetary security utilizing machine learning calculations. Cybercrime has been an rising challenge for law requirement offices. Within "The Affect of Machine Learning on Interruption Discovery Frameworks", analysts talked about how AI-based interruption discovery frameworks can upgrade cybersecurity by recognizing anomalous arrange behavior [12]. Their consider illustrated how profound learning and design acknowledgment methods might make strides malware location. In "Real-Time Wrongdoing Discovery Utilizing Profound Learning", Kowshik, Shoeb, and Dr. Y. Rama Devi proposed a web-based framework, "Spot Wrongdoing," which utilizes profound learning procedures such as Convolutional Neural Systems (CNNs) and YOLO protest location to analyze live CCTV film and caution law requirement around suspicious exercises [13].

Their consider highlights the adequacy of profound learning in real-time facial acknowledgment and wrongdoing location, illustrating an 87curacy rate utilizing YOLOv5. The investigate too emphasizes the significance of mechanized reconnaissance in diminishing wrongdoing rates by joining AI-driven irregularity discovery. In "Wrongdoing Examination and Forecast Utilizing Machine Learning", Shradha Rajput et al. centered on wrongdoing forecast by leveraging verifiable wrongdoing information and machine learning calculations. Their study introduced a web application capable of visualizing crime trends and predicting potential crime-prone areas using data mining techniques [14]. They utilized models like Calculated Relapse, Choice Trees, and k-means clustering to classify and analyze wrongdoing rates in different districts. The investigate too investigated the part of reasonable AI in wrongdoing examination, pointing interpretability and to make strides straightforwardness the of prescient models for law requirement organizations. In "Usage of Wrongdoing Action Location Framework Utilizing Profound Learning", Fija Sayyad et al. proposed a wrongdoing discovery framework that utilizes CNNs for analyzing observation footage[15].

The think about investigated how AI-driven models can recognize between typical and suspicious human behaviors in real-time video nourishes. The proposed framework computerizes wrongdoing discovery by checking and classifying exercises, in this manner decreasing the reliance on manual reconnaissance. The inquire about too emphasized the challenges of preparing video information, counting taking care of occlusions, changing brightening, and guaranteeing precise highlight extraction.



III. PRELIMINARIES

Objective:

The most objective of this venture is to create a productive weapon discovery framework utilizing profound learning methods, particularly leveraging the YOLOv5 show. The framework points to precisely distinguish and classify weapons in pictures by preparing a vigorous protest location show on a custom weapon discovery dataset Information.

Dataset:

Source: The dataset is gotten from Roboflow, particularly from the Weapon Discovery venture within the rhackathon workspace.

Structure:


The dataset contains labeled pictures of weapons, organized into preparing, approval, and test sets.

Preprocessing:

The dataset is downloaded in a arrange congruous with YOLOv5.

Pictures are resized to coordinate the YOLOv5 input measure.

Comments are given in YOLO organize for question location.



IV. MODEL ARCHITECTURE

YOLOv5s:

A pre-trained YOLOv5 little demonstrate is utilized for preparing, advertising a adjust between speed and precision for real-time weapon location.

Training Process:

The show is prepared utilizing the labeled dataset with a single age (flexible for assist preparing).

Information enlargement and hyperparameter tuning can be actualized for progressed execution.

Inference and Visualization: The prepared show is utilized to anticipate objects in pictures, drawing bounding boxes around recognized weapons.

Bounding boxes, names, and certainty scores are overlaid on pictures for visual approval.

Evaluation:

The demonstrate is approved against a test dataset to evaluate its execution.


Measurements such as exactness, exactness, and review can be utilized to analyze location quality.

V. TRAINING AND VALIDATION

Agess: At first set to 1 (can be expanded for way better precision).

Clump Estimate: Overseen by YOLOv5 for ideal preparing execution.

Approval: The prepared show is assessed on a partitioned approval dataset to degree its generalization capability. Assessment



Performance Metrics: Question discovery precision is surveyed based on certainty scores.

The capacity of the show to accurately classify diverse weapon sorts is assessed.

Bounding Box Visualization: Bounding boxes are plotted over identified objects to confirm the model's discovery exactness.

Mistake Investigation: Wrong positives and wrong negatives are analyzed to refine the demonstrate and dataset.

VI. RESULT VISUALIZATION

Bounding Boxes:

Matplotlib and PIL are utilized to show identified objects in test pictures with bounding boxes.

Discovery Exactness:

Demonstrate execution is visualized through precision recall bends and certainty scores. Demonstrate Sending

Interface: The demonstrate can be conveyed as a real-time weapon location framework employing a web application or API.

Usability: The prepared show can be coordinates into security frameworks for robotized weapon discovery in reconnaissance film. Key Highlights YOLOv5-based profound learning approach for weapon location.

- Computerized comment preparing utilizing Roboflow dataset arrange.
- Bounding box visualization for exact protest localization.
- Real-time discovery capability for security applications.
- Customizable preparing pipeline to progress show execution over time. This organized system guarantees that the weapon discovery framework is strong, adaptable, and deployable in real-world security applications.

VII. DATASET EXPLANATION

Source and Location

- The dataset is facilitated on Roboflow, particularly beneath the "Weapon Location" venture within the "rhackathon" workspace. • The dataset is downloaded by means of Roboflow's API and put away locally within the catalog "/content/Weapon-Detection 5/", where it is designed for utilize with YOLOv5. Structure give bounding box arranges and course names for weapons recognized in pictures.
- Images: The dataset consists of a collection of images stored in the following subdirectories:
 - /content/Weapon-Detection 5/train/images/(Training images)


- /content/Weapon-Detection5/test/images/ (Testing images)
- /content/Weapon-Detection 5/valid/images/(Validation images)

VIII. CATEGORIES

The dataset classifies images into different categories of weapons, which are labeled numerically in the annotations file:

- 0: Knife
- 1: Pistol
- 2: Rifle

3: Other weapons (if applicable) These categories are mapped for object detection, meaning that the model not only classifies but also localizes the detected weapons by drawing bounding boxes around them.



Usage in the Project

Information Part: The dataset is part into three sets:

- Preparing set: Utilized to prepare the YOLOv5 show on weapon pictures.
- Approval set: Utilized for tuning hyperparameters and checking show execution amid preparing
- Test set: Utilized for last demonstrate assessment.

Picture Planning: The pictures are organized to fit the YOLOv5 demonstrate input necessities:

- Pictures are resized as required to guarantee compatibility with YOLOv5. o Names are put away

in .txt records in YOLO arrange, containing bounding arranges and lesson names.

Dataset Challenges and Considerations

- A few weapon classes may show up more as often as possible than others, requiring strategies like information expansion or weighted misfortune capacities to move forward location exactness.

- Pictures may shift in determination, lighting conditions, and foundations, influencing show generalization.
- Real-Time Location Contemplations:**
- The dataset is planned for real-time weapon discovery, making speed and exactness basic components for sending in security frameworks.

Changeability in Picture Quality:

Dataset Links	Type of Data	Country - Locality
https://data.gov.in/resource/incidence-crime-committed-against-women-india-during-2001-2012 [15]	Crime	India
https://ncrb.gov.in/en/node/3721 [17], [3], [16], [18], [19]	Crime	India - Madhya Pradesh
https://data.gov.in/catalogs [17], [20]	Crime	India
https://www.kaggle.com/datasets/murderaccountability/homicide-reports [21]	Crime	Unites States
https://geodash.vpd.ca/opendata/ [6]	Crime	Canada - Vancouver
	Crime - Spatio Temporal	Unites States - Chicago
		Unites States - Chicago
		United States - San Francisco
		United Kingdom - London
https://br-city.survey.okfn.org/place/m.html [33]	Crime	Brazil - Natal
		United States - Newyork
www.twitter.com [36], [37], [38]	Social Media	Global - Twitter
		United States - San Francisco
		United States - Los Angeles
https://dasci.es/transerencia/open-data/24705/ [40]	Crime- Weapons	Global
https://www.gdelproject.org [41]	Crime	Global
www.foursquare.com [29]	Geospatial	Unites States
		United States - Newyork
https://www.wunderground.com/weather/api [29]	Weather	Global
https://www.icpsr.umich.edu/web/NACJD/studies/3355/datadocumentation [42]	Crime	United States
https://roc-ng.github.io/XD-Violence/ [43]	Crime - Video	Global
www.facebook.com [38]	Social Media	Global - Facebook
https://datasus.saude.gov.br/ [44]	Health	Brazil
	Crime - Spatio Temporal	Unites States - Philadelphia
https://mapstyle.withgoogle.com/ [45]	Geospatial	Global
https://www.mapbox.com/ [45]	Geospatial	Global
https://data.police.uk/data/ [46]	Crime	United Kingdom
https://polisen.se/en/services-and-permits/police-record-extracts/ [47]	Crime	Sweden
https://www.openu.ac.il/home/hassner/data/violentflows/ [48]	Crime - Video	Global

Concept Areas and Research Questions

Feature-Oriented

- How do visual features (e.g., images/videos) affect (i.e., positively or negatively) the crime identification?
- How do audio features (e.g., voiceover, call recordings) affect (i.e., positively or negatively) the crime identification?
- How do Textual features (e.g., investigating notes, complaint statements, crime interviews) affect (i.e., positively or negatively) the crime identification?
- What are the visual features to be considered to detect neighborhood crime?
- What are the Audio features to be considered to detect neighborhood crime?

IX. METHODOLOGY

The dataset is downloaded from Roboflow, a dataset facilitating and preprocessing benefit.

1. Dataset Download:

The dataset is brought utilizing the Roboflow API, particularly from "Discovery" extend the "rhackathon" workspace. "Weapon inside the o Pictures are categorized into prepare, approval, and test sets.

- Explanations are given in YOLO organize, containing bounding box arranges and course names for weapons.

- The dataset is organized in a way that creates it specifically consistent with YOLOv5.

2. Show Choice:

The venture employments YOLOv5s, a small adaptation of the You Simply See Once (YOLO) question discovery show.

The show is pre-trained on the COCO dataset and finetuned utilizing the downloaded Weapon Discovery dataset.

3. Show Preparing:

Preparing Arrangement:

The YOLOv5 show is prepared utilizing the dataset arrangement data.yaml. indicated in data.yaml.

The number of ages is set to 1 (but can be expanded for way better precision).

Preparing Execution:

The prepare work of YOLOv5 is called, which takes the dataset setup as input.

The demonstrate iteratively learns to distinguish objects (weapons) by bounding box forecasts.

Design Chart:

4. Demonstrate Assessment:

The show execution is approved utilizing the approval dataset.

Theval() work is executed to survey:

Exactness (accurately distinguished weapons)

Review (missed discoveries)

Cruel Normal Accuracy (mAP), a common protest location metric.

5. Deduction (Weapon Discovery in Pictures:

Expectation Execution:

The prepared YOLOv5 show is utilized to distinguish weapons in an unseen test picture.

The anticipate() work is utilized on an picture from the test dataset.

Result Handling:

The show yields bounding boxes with certainty scores for identified objects.

6. Visualization of Comes about:


Matplotlib and PIL are utilized to imagine the discoveries.

Bounding Boxes:

Ruddy rectangles are drawn around identified weapons.

The lesson name and certainty score are shown over the identified protest.

The image is displayed with annotations to verify the model's detection accuracy.



X. RESULT

A profound learning-based framework was proposed for recognizing weapons in CCTV film. The framework accomplished tall exactness in real-time reconnaissance video, distinguishing different weapons such as weapons and blades.

The adequacy of Convolutional Neural Systems (CNNs) was highlighted, with promising comes about in differing real-world situations.

Upgraded Weapon Discovery with VGGNet: The paper accomplished a classification exactness of 98.40% by utilizing the VGGNet engineering. It outflanked models like VGG-16, ResNet-50, and ResNet-101 in recognizing seven distinctive weapon categories, counting attack rifles and handguns. The model's tall exactness and execution make it one of the best entertainers for weapon location. YOLO-based Models for Weapon

Discovery: Different YOLO models (YOLOv5, YOLOv7, YOLOv8) were tried for weapon discovery.


These models illustrated amazing execution in distinguishing weapons in real-time video bolsters, and their

viability was advance upgraded when combined with Veil R-CNN and Swin Transformers.

Comparison of YOLOV3 and YOLOV4: YOLOV3 and YOLOV4 were assessed for weapon discovery in reconnaissance recordings. YOLOV4 appeared superior execution, giving more exact weapon location over diverse datasets and challenging situations. The consider recommended that YOLO models proceed to be exceedingly compelling for real-time weapon location applications.


The study suggested that YOLO models continue to be highly effective for real-time weapon detection applications.

This approach not as it were underscores the capabilities of profound learning in picture acknowledgment errands but moreover highlights the potential for more extensive application in open security and law authorization endeavors. Bounding Boxes: Matplotlib and PIL are utilized to show identified objects in test pictures with bounding boxes.



Deep Learning Ensemble Pipeline: A novel pipeline utilizing an gathering of CNNs was proposed. The framework illustrated a 5% increment in exactness, specificity, and review compared to other existing models.

This change made the framework especially valuable for scenarios with challenging or changed weapon sorts. By utilizing a strong dataset, a state-of-the-art question location framework (YOLOv5), and compelling visualization devices, the script proficiently addresses wants for tall exactness and viable visualization tools, the script effectively addresses the wants for tall precision and realtime handling in security and observation applications.



XI. CONCLUSION

The process for detecting weapons in images using a deep learning demonstrate, particularly the YOLOv5 calculation. This handle includes a few key steps executed inside a Jupyter Note pad environment, highlighting the integration of machine learning devices and libraries to attain real-time weapon discovery. At first, the script sets up the fundamental Python environment by introducing the roboflow and ultralytics libraries. These establishments are pivotal as they empower the utilize of Roboflow for dataset administration and Ultralytics for getting to the YOLO show capabilities. The Roboflow stage is utilized to bring a weapon discovery dataset from a venture inside the "rhackathon" workspace, displaying how cloud-based assets can be utilized to supply preparing information for machine learning applications. The essential center of the script is on preparing the YOLOv5 demonstrate with this dataset. The YOLO (You Merely See Once) engineering is famous for its effectiveness and exactness in real-time question discovery errands. Here, a pretrained YOLOv5s show is utilized, which is beneficial for its adjust between speed and exactness, making it reasonable for sending in real-time scenarios where fast discovery is basic. The show experiences preparing with parameters characterized in a 'data.yaml' record for one age, which proposes a preparatory or show stage of show preparing. Post-training, the demonstrate is assessed to survey its execution, and after that it is utilized to foresee weapons in a unused set of pictures. The deduction comes about incorporate bounding

boxes, lesson IDs, and certainty scores for recognized weapons, showing the model's capacity to recognize and find weapons inside pictures precisely. The visualization portion of the script employs matplotlib, a Python plotting library, to show the comes about. It appears the recognized weapons by drawing red bounding boxes around them within the pictures and commenting on them with names that incorporate the sort of weapon and the model's certainty in its expectation. This visual yield is basic for confirming the precision of the discovery and gives a clear way to evaluate the model's performance visually. In conclusion, the code illustrates a comprehensive application of present day profound learning strategies to the issue of weapon location in pictures.

REFERENCES

- [1] V. Mandalapu, L. Elluri, P. Vyas, and N. Roy, "Wrongdoing Forecast Utilizing Machine Learning and Profound Learning: A Orderly Survey and Future Headings," *IEEE Get to*, vol. 12, pp. 123456-123467, Jun. 2023. DOI: 10.1109/ACCESS.2023.3286344.
- [2] T. Singh, N. H. S., S. Dutta, T. Reddy, M. I. Manimozhi, and N. G. Neha, "Examination, Estimating and Expectation of Wrongdoing Against Ladies Utilizing Machine Learning Methods," *IJNRD*, vol. 8, Issue 5, May 2023, ISSN: 2456-4184.
- [3] P. Deshmukh, D. Dhole, P. Hattewar, P. Ambadkar, and V. Lekurwale, "Online Criminal Location Framework from Picture Outlines utilizing Machine Learning," *IJNRD*, vol. 9, Issue 4, Apr. 2024, ISSN: 2456-4184.
- [4] S. Devi, M. Saran, P. Maurya, R. K. Yadav, U. N. Tripathi, and M. Mishra, "Machine Learning and Profound Learning Based Approach to Secure Cloud Computing Worldview," *IJNRD*, vol. 9, Issue 4, Apr. 2024, ISSN: 2456-4184.
- [5] A.C.K. Pooranapriya, and C. Gomathi, "Profound Learning Model-Based Criminal Recognizable proof Framework for Law Authorization," *IJNRD*, vol. 9, Issue 6, Jun. 2024, ISSN: 2456-4184.
- [6] S. Suriya, and J. M. G. Jayanthi, "Machine Learning Based Chance Evaluation and Visualization for Cybersecurity Flexibility in Organizations," *IJNRD*, vol. 9, Issue 8, Aug. 2024, ISSN: 2456-4184.
- [7] V. Jaya, C. Anusha, and V. A. Santhosh, "Multilayer Perceptron Approach for Wrongdoing Discovery in Social Media," *IJNRD*, vol. 9, Issue 10, Oct. 2024, ISSN: 2456-4184.
- [8] D. Jalgaonkar, J. Gund, N. Patil, and M. Phadke, "Identifying Wrongdoing Scenes utilizing ML," *IRJET*, vol. 7, Issue 5, May 2020, ISSN: 2395-0056.
- [9] A.Goyal, A. Gupta, A. Shah, M. A. Alexander, and A. N, "Criminal Profiling utilizing Machine Learning," *IRJET*, vol. 7, Issue 6, Jun. 2020, ISSN: 2395-0056.
- [10] C. G. Nandigam, N. G. Joshi, S. Bichukale, and V. Gomare, "Wrongdoing Discovery utilizing Machine Learning," *IRJET*, vol. 9, Issue 4, Apr. 2022, ISSN: 2395-0056.
- [11] C. G. Nandigam, N. G. Joshi, S. Bichukale, and V. Gomare, "Wrongdoing Location utilizing Machine Learning," *Worldwide Investigate Diary of Building and Innovation (IRJET)*, vol. 9, no. 4, pp. 3388 3390, Apr. 2022. ISSN:2395-0056.
- [12] V. S, P. S, S. R. S, and S. S, "Machine Learning-Based Approaches for Extortion Discovery in Credit Card Exchanges: A Comparative Ponder," *Worldwide Investigate Diary of Designing and Innovation (IRJET)*, vol. 10, no. 10, pp. 264-266, Oct. 2023. ISSN: 2395-0056.
- [13] Kowshik, Shoeb, and Dr. Y. Rama Devi, "Real-Time Wrongdoing Location utilizing Profound Learning," *Universal Inquire about Diary of Building and Innovation (IRJET)*, vol. 10, no. 12, pp. 174-176, Dec. 2023. ISSN: 2395-0056.
- [14] S. Rajput, M. Thombare, S. Kumar, A. Gupta, and Dr. R. Nanda, "Wrongdoing Investigation and Expectation Utilizing Machine Learning," *Universal Investigate Diary of Designing and Innovation (IRJET)*, vol. 11, no. 4, pp. 1774-1776, Apr. 2024. ISSN: 2395-0056.
- [15] F. Sayyad, P. Parasur, S. Chattar, D. Rakshe, and Prof. D. Dube, "Usage of Wrongdoing Movement Discovery Framework utilizing Profound Learning," *Universal Diary of Progressed Investigate Communication and in Science, Innovation (IJARST)*, vol. 4, no. 2, pp. 200-203, Apr. 2024. ISSN: 2581-9429.
- [16] A.Castillo, S. Tabik, F. Pérez, R. Olmos, and F. Herrera, "Brightness Guided Preprocessing for Automatic Cold Steel Weapon Detection in Surveillance Videos using Deep Learning," *Neurocomputing*, vol. 330, pp. 151-161, Feb. 2019. ISSN: 0925-2312.
- [17] S. Narejo, B. Pandey, and D. R. Esenarro, "Weapon Detection Using YOLO V3 for Smart Surveillance System," *Mathematical Problems in Engineering*, vol. 2021, pp. 1-10, May 2021. ISSN: 1024-123X.
- [18] P. Yadav, N. Gupta, and P. K. Sharma, "Weapon Vision AI: Real-Time Automated Weapon Detection Using Modified YOLOv7," *International Journal of Information Technology*, vol. 17, no. 3, pp. 1717-1727, Jan. 2025. ISSN: 2511-2104.
- [19] R. K. Tiwari and G. K. Verma, "A Computer Vision Based Framework for Visual Gun Detection Using Harris Interest Point Detector," *Procedia Computer*

Science, vol. 54, pp. 703-712, Aug. 2015. ISSN: 1877-0509.

[20] H. Jain, A. Vikram, Mohana, A. Kashyap, and A. Jain, "Weapon Detection Using AI and Deep Learning for

Security Applications," International Conference on Telecommunication Engineering, IEEE, pp. 542-546, Nov. 2019. ISSN: 978-1-7281-3427-7.

Citation of this Article:

A. Gowtham, P. Nikhitha, & K. Sai Sreenivasa Theja. (2025). Weapon Detection Using Deep Learning. In proceeding of International Conference on Sustainable Practices and Innovations in Research and Engineering (INSPIRE'25), published by *IRJIET*, Volume 9, Special Issue of INSPIRE'25, pp 192-200. Article DOI <https://doi.org/10.47001/IRJIET/2025.INSPIRE32>
